

Please type. Do not complete by hand.

FORM 1 GENERAL	EPA	U.S. ENVIRONMENTAL PROTECTION AGENCY GENERAL INFORMATION Consolidated Permits Program (Read the "General Instructions" before starting)		I. EPA I.D. NUMBER <div style="border: 1px solid black; padding: 5px; font-size: 1.5em;">040076970</div>				
LABEL ITEMS I. EPA I.D. NUMBER III. FACILITY NAME V. FACILITY MAILING ADDRESS VI. FACILITY LOCATION		<div style="font-size: 2em;">- OI L00102</div>						
II. POLLUTANT CHARACTERISTICS INSTRUCTIONS: Complete A through G to determine whether you need to submit any permit application forms to the EPA. If you answer "yes" to any questions, you must submit this form and the supplemental form listed in the parenthesis following the question. Mark "X" in the box in the third column if the supplemental form is attached. If you answer "no" to each question, you need not submit any of these forms. You may answer "no" if your activity is excluded from permit requirements; see Section C of the instructions. See also, Section D of the instructions for definitions of bold-faced terms .								
SPECIFIC QUESTIONS		SPECIFIC QUESTIONS						
A. Is this facility a publicly owned treatment works which results in a discharge to waters of the U.S.? (FORM 2A)		B. Does or will this facility (either existing or proposed) include a concentrated animal feeding operation or aquatic animal production facility which results in a discharge to waters of the U.S.? (FORM 2B)						
C. Is this a facility which currently results in discharges to waters of the U.S. other than those described in A or B above? (FORM 2C)		D. Is this a proposed facility (other than those described in A or B above) which will result in a discharge to waters of the U.S.? (FORM 2D)						
E. Is this a facility which does not discharge process wastewater? (FORM 2E)		F. Is this a facility which discharges stormwater associated with industrial activity? (FORM 2F)						
G. Do you generate sewage sludge that is ultimately regulated by Part 503? Do you generate sewage sludge that is sent to another facility for treatment or blending? Do you process or derive material from sewage sludge that is disposed in a manner subject to Part 503? (FORM 2S)								
III. NAME OF FACILITY Holmes Limestone Company Strasburg Coal Prep Plant								
IV. FACILITY CONTACT <table style="width:100%;"> <tr> <td style="width:70%;">A. NAME & TITLE (last, first, title)</td> <td style="width:30%;">B. PHONE (area code & no.)</td> </tr> <tr> <td>King, Ralph Permit Coordinator</td> <td>(330) 878 - 5120</td> </tr> </table>					A. NAME & TITLE (last, first, title)	B. PHONE (area code & no.)	King, Ralph Permit Coordinator	(330) 878 - 5120
A. NAME & TITLE (last, first, title)	B. PHONE (area code & no.)							
King, Ralph Permit Coordinator	(330) 878 - 5120							
V. FACILITY MAILING ADDRESS A. STREET OR P.O. BOX P.O. Box 135								
B. CITY OR TOWN		C. STATE	D. ZIP CODE					
Strasburg		OH	44680					
VI. FACILITY LOCATION A. STREET, ROUTE NO. OR OTHER SPECIFIC IDENTIFIER 7551 Reed Road NW								
B. COUNTY NAME								
Tuscarawas								
C. CITY OR TOWN		D. STATE	E. ZIP CODE	F. COUNTY CODE (if different)				
Strasburg		OH	44680					

EPA Form 3510-1 (Rev. for Ohio EPA use 2/06)

FEB 01 2008

JAN 25 2008

Ohio Environmental
Protection Agency
Southeast DistrictOhio Environmental
Protection Agency
Southeast District

Click to clear all entered information (on both pages of this form)

PAID	
Amount 200.00	Date 2/1/08
Check# 60317	Date 1/30/08

CONTINUE ON REVERSE

CLEAR

(

(

2014

2014-00657202454

Form Approved.
OMB No. 2040-0086.
Approval expires 3-31-98.

FORM
2C
NPDES



U.S. ENVIRONMENTAL PROTECTION AGENCY
APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER
EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURE OPERATIONS
Consolidated Permits Program

For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

A. OUTFALL NUMBER (list)	B. LATITUDE			C. LONGITUDE			D. RECEIVING WATER (name)
	1. DEG.	2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.	
002	40.00	40.00	2.00	81.00	29.00	42.00	Unnamed Tributary to Sugar Creek
013	40.00	35.00	48.00	81.00	30.00	21.00	Unnamed Tributary to Sugar Creek

A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.

B. For each outfall, provide a description of: (1) All operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) The average flow contributed by each operation; and (3) The treatment received by the wastewater. Continue on additional sheets if necessary.

1. OUT-FALL NO. (list)	2. OPERATION(S) CONTRIBUTING FLOW		3. TREATMENT	
	a. OPERATION (list)	b. AVERAGE FLOW (include units)	a. DESCRIPTION	b. LIST CODES FROM TABLE 2C-1
002	Surface runoff from coal stockpile	52,834 gpd	neutralization	2 k
	and support facilities		sedimentation	1 u
013	Surface runoff from coal waste	125,000 gpd	neutralization	2 k
	disposal area and support facilities		sedimentation	1 u

OFFICIAL USE ONLY (effluent guidelines sub-categories)

CONTINUED FROM THE FRONT

C. Except for storm runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal?								
<input type="checkbox"/> YES (complete the following table) <input checked="" type="checkbox"/> NO (go to Section III)								
1. OUTFALL NUMBER (list)	2. OPERATION(s) CONTRIBUTING FLOW (list)	3. FREQUENCY		4. FLOW				C. DURATION (in days)
		a. DAYS PER WEEK (specify average)	b. MONTHS PER YEAR (specify average)	a. FLOW RATE (in mgd)		B. TOTAL VOLUME (specify with units)		
				1. LONG TERM AVERAGE	2. MAXIMUM DAILY	1. LONG TERM AVERAGE	2. MAXIMUM DAILY	

III. PRODUCTION	
A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility?	
<input checked="" type="checkbox"/> YES (complete Item III-B) <input type="checkbox"/> NO (go to Section IV)	
B. Are the limitations in the applicable effluent guideline expressed in terms of production (or other measure of operation)?	
<input type="checkbox"/> YES (complete Item III-C) <input checked="" type="checkbox"/> NO (go to Section IV)	
C. If you answered "yes" to Item III-B, list the quantity which represents an actual measurement of your level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls.	
1. AVERAGE DAILY PRODUCTION	
a. QUANTITY PER DAY	b. UNITS OF MEASURE
c. OPERATION, PRODUCT, MATERIAL, ETC. (specify)	
2. AFFECTED OUTFALLS (list outfall numbers)	

IV. IMPROVEMENTS			
A. Are you now required by any Federal, State or local authority to meet any implementation schedule for the construction, upgrading or operations of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.			
<input type="checkbox"/> YES (complete the following table) <input checked="" type="checkbox"/> NO (go to Item IV-B)			
1. IDENTIFICATION OF CONDITION, AGREEMENT, ETC.	2. AFFECTED OUTFALLS		3. BRIEF DESCRIPTION OF PROJECT
	a. NO.	b. SOURCE OF DISCHARGE	
B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have underway or which you plan. Indicate whether each program is now underway or planned, and indicate your actual or planned schedules for construction.			
<input type="checkbox"/> MARK "X" IF DESCRIPTION OF ADDITIONAL CONTROL PROGRAMS IS ATTACHED			

EPA I.D. NUMBER (copy from Item 1 of Form 1)

CONTINUED FROM PAGE 2

V. INTAKE AND EFFLUENT CHARACTERISTICS

A, B, & C: See instructions before proceeding – Complete one set of tables for each outfall – Annotate the outfall number in the space provided.

NOTE: Tables V-A, V-B, and V-C are included on separate sheets numbered V-1 through V-9.

D. Use the space below to list any of the pollutants listed in Table 2c-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.

1. POLLUTANT	2. SOURCE	1. POLLUTANT	2. SOURCE
none			

VI. POTENTIAL DISCHARGES NOT COVERED BY ANALYSIS

Is any pollutant listed in Item V-C a substance or a component of a substance which you currently use or manufacture as an intermediate or final product or byproduct?

☐ YES (list all such pollutants below)☒ NO (go to Item VI-B)

CONTINUED FROM THE FRONT

VII. BIOLOGICAL TOXICITY TESTING DATA

Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

☐ YES (identify the test(s) and describe their purposes below)

☒ NO (go to Section VIII)

VIII. CONTRACT ANALYSIS INFORMATION

Were any of the analyses reported in Item V performed by a contract laboratory or consulting firm?

☐ YES (list the name, address, and telephone number of, and pollutants analyzed by, each such laboratory or firm below)

☒ NO (go to Section IX)

A. NAME	B. ADDRESS	C. TELEPHONE (area code & no.)	D. POLLUTANTS ANALYZED (list)

IX. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. NAME & OFFICIAL TITLE (type or print)	B. PHONE NO. (area code & no.)
Nate Leggett	(330) 875-5120
C. SIGNATURE	D. DATE SIGNED

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completing these pages.
SEE INSTRUCTIONS.

EPA I.D. NUMBER (copy from Item 1 of Form 1)

V. INTAKE AND EFFLUENT CHARACTERISTICS (continued from page 3 of Form 2-C)										OUTFALL NO.				
PART A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.														
1. POLLUTANT	2. EFFLUENT				3. UNITS (specify if blank)			4. INTAKE (optional)						
	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES			
	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS					(1) CONCENTRATION	(2) MASS				
a. Biochemical Oxygen Demand (BOD)														
b. Chemical Oxygen Demand (COD)														
c. Total Organic Carbon (TOC)														
d. Total Suspended Solids (TSS)														
e. Ammonia (as N)														
f. Flow	VALUE				VALUE				VALUE					
g. Temperature (winter)	VALUE				VALUE				VALUE					
h. Temperature (summer)	VALUE				VALUE				VALUE					
i. pH	MINIMUM	MAXIMUM		MAXIMUM			STANDARD UNITS							
PART B - Mark "X" in column 2-a for each pollutant you know or have reason to believe is present. Mark "X" in column 2-b for each pollutant you believe to be absent. If you mark column 2a for any pollutant which is limited either directly, or indirectly but expressly, in an effluent limitations guideline, you must provide the results of at least one analysis for that pollutant. For other pollutants for which you mark column 2a, you must provide quantitative data or an explanation of their presence in your discharge. Complete one table for each outfall. See the instructions for additional details and requirements.														
1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT				4. UNITS			5. INTAKE (optional)				
	a. BELIEVED PRESENT	b. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1) CONCENTRATION	(2) MASS	b. MAXIMUM 30 DAY VALUE (if available) (1) CONCENTRATION	(2) MASS	c. LONG TERM AVRG. VALUE (if available) (1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE (1) CONCENTRATION	(2) MASS	b. NO. OF ANALYSES
a. Bromide (24959-67-9)														
b. Chlorine, Total Residual														
c. Color														
d. Fecal Coliform														
e. Fluoride (16984-48-8)														
f. Nitrate-Nitrite (as N)														

ITEM V-B CONTINUED FROM FRONT

1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT				4. UNITS				5. INTAKE (optional)		
	a. BELIEVED PRESENT	b. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (if available)		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE (1)		b. NO. OF ANALYSES
			(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS							
g. Nitrogen, Total Organic (as N)													
h. Oil and Grease													
i. Phosphorus (as P), Total (7723-14-0)													
j. Radioactivity													
(1) Alpha, Total													
(2) Beta, Total													
(3) Radium, Total													
(4) Radium 226, Total													
k. Sulfate (as SO ₄) (14808-79-8)													
l. Sulfide (as S)													
m. Sulfite (as SO ₃) (14265-45-3)													
n. Surfactants													
o. Aluminum, Total (7429-90-5)													
p. Barium, Total (7440-38-3)													
q. Boron, Total (7440-42-8)													
r. Cobalt, Total (7440-48-4)													
s. Iron, Total (7439-89-6)													
t. Magnesium, Total (7439-96-4)													
u. Molybdenum, Total (7439-98-7)													
v. Manganese, Total (7439-96-5)													
w. Tin, Total (7440-31-5)													
x. Titanium, Total (7440-32-6)													

CONTINUED FROM PAGE 3 OF FORM 2-C

EPA I.D. NUMBER (copy from Item 1 of Form 1)

OUTFALL NUMBER

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2-a for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark column 2-a (secondary industries, nonprocess wastewater outfalls, and nonrequired GC/MS fractions), mark "X" in column 2-b for each pollutant you know or have reason to believe is present. Mark "X" in column 2-c for each pollutant you believe is absent. If you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for any pollutant, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. If you mark column 2c for acrolein, acrylonitrile, 2,4-dinitrophenol, or 2-methyl-4, 6-dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or briefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (all 7 pages) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS		b. NO. OF ANALYSES
					(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS			(1) CONCENTRATION	(2) MASS	
METALS, CYANIDE, AND TOTAL PHENOLS													
1M. Antimony, Total (7440-36-0)													
2M. Arsenic, Total (7440-38-2)													
3M. Beryllium, Total (7440-41-7)													
4M. Cadmium, Total (7440-43-9)													
5M. Chromium, Total (7440-47-3)													
6M. Copper, Total (7440-50-8)													
7M. Lead, Total (7439-92-1)													
8M. Mercury, Total (7439-97-6)													
9M. Nickel, Total (7440-02-0)													
10M. Selenium, Total (7782-49-2)													
11M. Silver, Total (7440-22-4)													
12M. Thallium, Total (7440-28-0)													
13M. Zinc, Total (7440-66-6)													
14M. Cyanide, Total (57-12-5)													
15M. Phenols, Total													
DIOXIN													
2,3,7,8-Tetra-chlorodibenzo-P-Dioxin (1764-01-6)				DESCRIBE RESULTS									

EPA Form 3510-2C (8-90)

PAGE V-3

CONTINUE ON REVERSE

CONTINUED FROM THE FRONT

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS			5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES
					(1)	(2) MASS CONCENTRATION					(1)	(2) MASS CONCENTRATION	
GC/MS FRACTION - VOLATILE COMPOUNDS													
1V. Acrolein (107-02-8)													
2V. Acrylonitrile (107-13-1)													
3V. Benzene (71-43-2)													
4V. Bis (Chloromethyl) Ether (542-88-1)													
5V. Bromoform (75-25-2)													
6V. Carbon Tetrachloride (56-23-5)													
7V. Chlorobenzene (108-90-7)													
8V. Chlorodibromomethane (124-48-1)													
9V. Chloroethane (75-00-3)													
10V. 2-Chloroethylvinyl Ether (110-75-8)													
11V. Chloroform (67-66-3)													
12V. Dichlorobromomethane (75-27-4)													
13V. Dichlorodifluoromethane (75-71-8)													
14V. 1,1-Dichloroethane (75-34-3)													
15V. 1,2-Dichloroethane (107-06-2)													
16V. 1,1-Dichloroethylene (75-35-4)													
17V. 1,2-Dichloropropane (78-87-5)													
18V. 1,3-Dichloropropylene (542-75-6)													
19V. Ethylbenzene (100-41-4)													
20V. Methyl Bromide (74-83-9)													
21V. Methyl Chloride (74-87-3)													

CONTINUED FROM PAGE V-4

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	5. LONG TERM AVERAGE VALUE	
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS					(1) CONCENTRATION	(2) MASS
GC/MS FRACTION - VOLATILE COMPOUNDS (continued)													
22V. Methylene Chloride (75-09-2)													
23V. 1,1,2,2-Tetrachloroethane (79-34-5)													
24V. Tetrachloroethylene (127-18-4)													
25V. Toluene (108-88-3)													
26V. 1,2-Trans-Dichloroethylene (156-60-5)													
27V. 1,1,1-Trichloroethane (71-55-6)													
28V. 1,1,2-Trichloroethane (79-00-5)													
29V. Trichloroethylene (79-01-6)													
30V. Trichlorofluoromethane (75-69-4)													
31V. Vinyl Chloride (75-01-4)													
GC/MS FRACTION - ACID COMPOUNDS													
1A. 2-Chlorophenol (95-57-8)													
2A. 2,4-Dichlorophenol (120-83-2)													
3A. 2,4-Dimethylphenol (105-67-9)													
4A. 4,6-Dinitro-O-Cresol (534-52-1)													
5A. 2,4-Dinitrophenol (51-28-5)													
6A. 2-Nitrophenol (88-75-5)													
7A. 4-Nitrophenol (100-02-7)													
8A. P-Chloro-M-Cresol (99-50-7)													
9A. Pentachlorophenol (87-86-5)													
10A. Phenol (108-95-2)													
11A. 2,4,6-Trichlorophenol (88-05-2)													

EPA Form 3510-2C (8-90)

PAGE V-5

CONTINUE ON REVERSE

CONTINUED FROM THE FRONT

1. POLLUTANT AND GAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES
					(1)	(2) MASS CONCENTRATION					(1)	(2) MASS CONCENTRATION	
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS													
1B. Acenaphthene (83-32-9)													
2B. Acenaphthylene (208-96-8)													
3B. Anthracene (120-12-7)													
4B. Benzidine (92-87-5)													
5B. Benzo (a) Anthracene (56-55-3)													
6B. Benzo (a) Pyrene (50-32-8)													
7B. 3,4-Benzo-fluoranthene (205-99-2)													
8B. Benzo (ghi) Perylene (191-24-2)													
9B. Benzo (k) Fluoranthene (207-08-9)													
10B. Bis (2-Chloro-ethoxy) Methane (111-91-1)													
11B. Bis (2-Chloro-ethyl) Ether (111-44-4)													
12B. Bis (2-Chloroisopropyl) Ether (102-80-1)													
13B. Bis (2-Ethylhexyl) Phthalate (117-81-7)													
14B. 4-Bromophenyl Phenyl Ether (101-55-3)													
15B. Butyl Benzyl Phthalate (85-68-7)													
16B. 2-Chloronaphthalene (91-58-7)													
17B. 4-Chlorophenyl Phenyl Ether (7005-72-3)													
18B. Chrysene (218-01-9)													
19B. Dibenzo (a,h) Anthracene (53-70-3)													
20B. 1,2-Dichlorobenzene (95-50-1)													
21B. 1,3-Di-chlorobenzene (541-73-1)													

CONTINUED FROM PAGE V-6

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)				
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS					(1) CONCENTRATION	(2) MASS	
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (continued)														
22B. 1,4-Dichloro-benzene (106-46-7)														
23B. 3,3-Dichloro-benzidine (91-94-1)														
24B. Diethyl Phthalate (84-66-2)														
25B. Dimethyl Phthalate (131-11-3)														
26B. Di-N-Butyl Phthalate (84-74-2)														
27B. 2,4-Dinitro-toluene (121-14-2)														
28B. 2,6-Dinitro-toluene (806-20-2)														
29B. Di-N-Octyl Phthalate (117-84-0)														
30B. 1,2-Diphenylhydrazine (as Azo-benzene) (122-66-7)														
31B. Fluoranthene (206-44-0)														
32B. Fluorene (96-73-7)														
33B. Hexachloro-benzene (118-74-1)														
34B. Hexachloro-butadiene (87-68-3)														
35B. Hexachloro-cyclopentadiene (77-47-4)														
36B. Hexachloro-ethane (67-72-1)														
37B. Indeno (1,2,3-cd) Pyrene (193-39-5)														
38B. Isophorone (78-59-1)														
39B. Naphthalene (91-20-3)														
40B. Nitrobenzene (98-95-3)														
41B. N-Nitro-sodiumethylamine (62-75-9)														
42B. N-Nitrosodi-N-Propylamine (621-64-7)														

EPA Form 3510-2C (8-90)

PAGE V-7

CONTINUE ON REVERSE

CONTINUED FROM THE FRONT				2. MARK "X"				3. EFFLUENT				4. UNITS				5. INTAKE (optional)			
1. POLLUTANT AND CAS NUMBER (if available)	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES				
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION	(2) MASS					
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (continued)																			
43B. N-Nitro-sodiphenylamine (86-50-6)																			
44B. Phenanthrene (85-01-8)																			
45B. Pyrene (129-00-0)																			
46B. 1,2,4-Tri-chlorobenzene (120-82-1)																			
GC/MS FRACTION - PESTICIDES																			
1P. Aldrin (309-00-2)																			
2P. α-BHC (319-84-6)																			
3P. β-BHC (319-85-7)																			
4P. γ-BHC (58-69-9)																			
5P. δ-BHC (319-86-8)																			
6P. Chlordane (57-74-9)																			
7P. 4,4'-DDT (50-29-3)																			
8P. 4,4'-DDE (72-55-9)																			
9P. 4,4'-DDD (72-54-8)																			
10P. Dieldrin (60-57-1)																			
11P. α-Endosulfan (115-29-7)																			
12P. β-Endosulfan (115-29-7)																			
13P. Endosulfan Sulfate (1031-07-8)																			
14P. Endrin (72-20-8)																			
15P. Endrin Aldehyde (7421-93-4)																			
16P. Heptachlor (76-44-8)																			

CONTINUED FROM PAGE V-8										EPA I.D. NUMBER (copy from Item 1 of Form 1)		OUTFALL NUMBER	
1. POLLUTANT AND CAS NUMBER (if available)		2. MARK "X"		3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
		a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1) CONCENTRATION	b. MAXIMUM 30 DAY VALUE (if available) (1) CONCENTRATION	c. LONG TERM AVRG. VALUE (if available) (1) CONCENTRATION	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE (1) CONCENTRATION	b. NO. OF ANALYSES	
GC/MS FRACTION - PESTICIDES (continued)													
17P. Heptachlor Epoxide (1024-57-3)													
18P. PCB-1242 (53469-21-9)													
19P. PCB-1254 (11097-69-1)													
20P. PCB-1221 (11104-28-2)													
21P. PCB-1232 (11141-16-5)													
22P. PCB-1248 (12672-29-6)													
23P. PCB-1260 (11096-82-5)													
24P. PCB-1016 (12674-11-2)													
25P. Toxaphene (8001-35-2)													

EPA I.D. NUMBER (copy from Item 1 of Form 1)

OIL00102

Form Approved.
OMB No. 2040-0086.
Approval expires 3-31-98.

Please print or type in the unshaded areas only.

FORM 2C NPDES		EPA		U.S. ENVIRONMENTAL PROTECTION AGENCY APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURE OPERATIONS Consolidated Permits Program			
I. OUTFALL LOCATION							
For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.							
A. OUTFALL NUMBER (list)	B. LATITUDE			C. LONGITUDE			D. RECEIVING WATER (name)
	1. DEG.	2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.	
001	40	40	52	81	29	42	Unnamed tributary to Sugar Creek
002	40	40	02	81	29	42	Unnamed tributary to Sugar Creek
II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES							
A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.							
B. For each outfall, provide a description of: (1) All operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) The average flow contributed by each operation; and (3) The treatment received by the wastewater. Continue on additional sheets if necessary.							
1. OUTFALL NO. (list)	2. OPERATION(S) CONTRIBUTING FLOW		3. TREATMENT				
	a. OPERATION (list)	b. AVERAGE FLOW (include units)	a. DESCRIPTION			b. LIST CODES FROM TABLE 2C-1	
001	Surface Runoff from Coal stockpile and support facilities	7,735 gpd discharges into 002	Sedimentation			1	U
002	Surface runoff from coal stockpile and support facilities	52,634 gpd	Sodium hydroxide drip			2	K
			Sedimentation			1	U
OFFICIAL USE ONLY (effluent guidelines sub-categories)							

CONTINUED FROM THE FRONT

C. Except for storm runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal? <input type="checkbox"/> YES (complete the following table) <input checked="" type="checkbox"/> NO (go to Section III)								
1. OUTFALL NUMBER (list)	2. OPERATION(S) CONTRIBUTING FLOW (list)	3. FREQUENCY		4. FLOW				C. DURATION (in days)
		a. DAYS PER WEEK (specify average)	b. MONTHS PER YEAR (specify average)	a. FLOW RATE (in mgd)		B. TOTAL VOLUME (specify with units)		
				1. LONG TERM AVERAGE	2. MAXIMUM DAILY	1. LONG TERM AVERAGE	2. MAXIMUM DAILY	

III. PRODUCTION	
A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility? <input checked="" type="checkbox"/> YES (complete Item III-B) <input type="checkbox"/> NO (go to Section IV)	
B. Are the limitations in the applicable effluent guideline expressed in terms of production (or other measure of operation)? <input type="checkbox"/> YES (complete Item III-C) <input checked="" type="checkbox"/> NO (go to Section IV)	
C. If you answered "yes" to Item III-B, list the quantity which represents an actual measurement of your level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls.	
1. AVERAGE DAILY PRODUCTION	
a. QUANTITY PER DAY	b. UNITS OF MEASURE
c. OPERATION, PRODUCT, MATERIAL, ETC. (specify)	
2. AFFECTED OUTFALLS (list outfall numbers)	

IV. IMPROVEMENTS			
A. Are you now required by any Federal, State or local authority to meet any implementation schedule for the construction, upgrading or operations of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions. <input type="checkbox"/> YES (complete the following table) <input checked="" type="checkbox"/> NO (go to Item IV-B)			
1. IDENTIFICATION OF CONDITION, AGREEMENT, ETC.	2. AFFECTED OUTFALLS		3. BRIEF DESCRIPTION OF PROJECT
	a. NO.	b. SOURCE OF DISCHARGE	
			4. FINAL COMPLIANCE DATE
			a. REQUIRED b. PROJECTED

B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have underway or which you plan. Indicate whether each program is now underway or planned, and indicate your actual or planned schedules for construction. <input type="checkbox"/> MARK "X" IF DESCRIPTION OF ADDITIONAL CONTROL PROGRAMS IS ATTACHED	
---	--


V. INTAKE AND EFFLUENT CHARACTERISTICS

D. Use the space below to list any of the pollutants listed in Table 2c-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.

VI. POTENTIAL DISCHARGES NOT COVERED BY ANALYSIS

☒ NO (go to Item VI-B)

CONTINUED FROM THE FRONT

VII. SIC CODES (4-digit, in order of priority)			
A. FIRST		B. SECOND	
(specify)		(specify)	
C. THIRD		D. FOURTH	
(specify)		(specify)	
VIII. OPERATOR INFORMATION			
A. NAME			B. Is the name listed in item VIII-A also the owner? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Holmes Limestone Company			
C. STATUS OF OPERATOR (Enter the appropriate letter into the answer box; if "Other", specify.)			D. PHONE (area code & no.)
F = FEDERAL S = STATE P = PRIVATE	M = PUBLIC (other than federal or state) O = OTHER (specify)	P	(330) 878 - 5120
E. STREET OR P.O. BOX			
P.O. Box 135			
F. CITY OR TOWN	G. STATE	H. ZIP CODE	IX. INDIAN LAND
Strasburg	OH	44680	Is this facility located on Indian lands? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
X. EXISTING ENVIRONMENTAL PERMITS			
A. NPDES (Discharges to surface water)		D. PSD (Air emissions from proposed sources)	
01L00102			
B. UIC (Underground injection of fluids)		E. OTHER (specify)	
		(specify)	
C. RCRA (Hazardous waste)		F. OTHER (specify)	
		(specify)	
XI. MAP			
Attach to this application a topographical map of the area extending to at least one mile beyond property boundaries. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it injects fluids underground. Include all springs, rivers, and other surface water bodies in the map area. See instructions for precise requirements.			
XII. NATURE OF BUSINESS (provide a brief description)			
Coal processing facility. Raw coal is washed, sized, stockpiled and shipped to customers via truck			
XIII. CERTIFICATION (see instructions)			
I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attachments and that, based on my inquiry of those persons immediately responsible for obtaining the information contained in the application, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			
A. NAME & OFFICIAL TITLE (type or print)		B. SIGNATURE	C. DATE SIGNED
Merle Mullet, President			1/17/08
COMMENTS FOR OFFICIAL USE ONLY			

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completing these pages.
SEE INSTRUCTIONS.

EPA ID. NUMBER (copy from Item 1 of Form 1)
O11100102

V. INTAKE AND EFFLUENT CHARACTERISTICS (continued from page 3 of Form 2-C)										OUTFALL NO. 002		
PART A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.												
1. POLLUTANT	2. EFFLUENT				3. UNITS (specify if blank)			4. INTAKE (optional)		b. NO. OF ANALYSES		
	a. MAXIMUM DAILY VALUE (1) CONCENTRATION (2) MASS		b. MAXIMUM 30 DAY VALUE (if available) (1) CONCENTRATION (2) MASS		c. LONG TERM AVRG. VALUE (if available) (1) CONCENTRATION (2) MASS		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS		a. LONG TERM AVERAGE VALUE (1) CONCENTRATION (2) MASS	
a. Biochemical Oxygen Demand (BOD)												
b. Chemical Oxygen Demand (COD)												
c. Total Organic Carbon (TOC)												
d. Total Suspended Solids (TSS)												
e. Ammonia (as N)												
f. Flow	VALUE		VALUE		VALUE					VALUE		
g. Temperature (winter)	VALUE		VALUE		VALUE					VALUE		
h. Temperature (summer)	VALUE		VALUE		VALUE					VALUE		
i. pH	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM								
PART B - Mark "X" in column 2-a for each pollutant you know or have reason to believe is present. Mark "X" in column 2-b for each pollutant you believe to be absent. If you mark column 2a for any pollutant which is limited either directly, or indirectly but expressly, in an effluent limitations guideline, you must provide the results of at least one analysis for that pollutant. For other pollutants for which you mark column 2a, you must provide quantitative data or an explanation of their presence in your discharge. Complete one table for each outfall. See the instructions for additional details and requirements.												
1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT				4. UNITS				5. INTAKE (optional)	
	a. BELIEVED PRESENT	b. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1) CONCENTRATION (2) MASS	b. MAXIMUM 30 DAY VALUE (if available) (1) CONCENTRATION (2) MASS	c. LONG TERM AVRG. VALUE (if available) (1) CONCENTRATION (2) MASS	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE (1) CONCENTRATION (2) MASS	b. NO. OF ANALYSES		
a. Bromide (24859-87-9)		X										
b. Chlorine, Total Residual		X										
c. Color		X										
d. Fecal Coliform		X										
e. Fluoride (16984-46-8)		X										
f. Nitrate-Nitrite (as N)		X										

ITEM V-B CONTINUED FROM FRONT

1. POLLUTANT AND CAS NO. (if available)	2. MARK 'X'		3. EFFLUENT				4. UNITS		5. INTAKE (optional)		b. NO. OF ANALYSES	
	a. BELIEVED PRESENT	b. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		
			(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION	(2) MASS	
g. Nitrogen, Total Organic (as N)		X										
h. Oil and Grease		X										
i. Phosphorus (as P), Total (7723-14-0)		X										
j. Radioactivity												
(1) Alpha, Total		X										
(2) Beta, Total		X										
(3) Radium, Total		X										
(4) Radium 226, Total		X										
k. Sulfate (as SO ₄) (14808-79-8)	X											
l. Sulfide (as S)		X										
m. Sulfite (as SO ₃) (14285-45-3)		X										
n. Surfactants		X										
o. Aluminum, Total (7429-90-5)		X										
p. Barium, Total (7440-39-3)		X										
q. Boron, Total (7440-42-8)		X										
r. Cobalt, Total (7440-48-4)		X										
s. Iron, Total (7439-89-6)	X											
t. Magnesium, Total (7439-95-4)		X										
u. Molybdenum, Total (7439-98-7)		X										
v. Manganese, Total (7439-98-5)	X											
w. Tin, Total (7440-31-5)		X										
x. Titanium, Total (7440-32-6)		X										

CONTINUED FROM PAGE 3 OF FORM 2-C

EPA ID, NUMBER (copy from Item 1 of Form 1)	OUTFALL NUMBER
OIL-00102	002

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2-a for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark column 2-a (secondary industries, nonprocess wastewater outfalls, and nonrequired GC/MS fractions), mark "X" in column 2-b for each pollutant you know or have reason to believe is present. Mark "X" in column 2-c for each pollutant you believe is absent. If you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2c for acrolein, acrylonitrile, 2,4 dinitrophenol, or 2-methyl-4, 6 dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or briefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (all 7 pages) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)	d. NO OF ANALYSES	a. CONCENTRATION	b. MASS	5. INTAKE (optional)	
					(1) CONCENTRATION	(2) MASS					(1) AVERAGE VALUE	(2) MASS ANALYSES
METALS, CYANIDE, AND TOTAL PHENOLS												
1M. Antimony, Total (7440-39-0)			X									
2M. Arsenic, Total (7440-38-2)			X									
3M. Beryllium, Total (7440-41-7)			X									
4M. Cadmium, Total (7440-43-9)			X									
5M. Chromium, Total (7440-47-3)			X									
6M. Copper, Total (7440-50-8)			X									
7M. Lead, Total (7439-92-1)			X									
8M. Mercury, Total (7489-97-8)			X									
9M. Nickel, Total (7440-02-0)			X									
10M. Selenium, Total (7782-49-2)			X									
11M. Silver, Total (7440-22-4)			X									
12M. Thallium, Total (7440-28-0)			X									
13M. Zinc, Total (7440-66-6)			X									
14M. Cyanide, Total (57-12-5)			X									
15M. Phenols, Total			X									
DIOXIN												
2,3,7,8-Tetra-chlorodibenzo-p-Dioxin (1784-01-6)			X									

DESCRIBE RESULTS

EPA Form 3510-2C (8-90)

PAGE V-3

CONTINUE ON REVERSE

CONTINUED FROM THE FRONT

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
	a. TESTING REQUIRED (if available)	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1) CONCENTRATION	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES
					(1) CONCENTRATION	(2) MASS					(1) CONCENTRATION	(2) MASS	
GC/MS FRACTION - VOLATILE COMPOUNDS													
1V. Acetaldehyde (107-02-9)			X										
2V. Acrylonitrile (107-13-1)			X										
3V. Benzene (71-43-2)			X										
4V. Bis (Chloromethyl) Ether (542-88-1)			X										
5V. Bromoform (75-25-2)			X										
6V. Carbon Tetrachloride (98-23-5)			X										
7V. Chlorobenzene (108-90-7)			X										
8V. Chlorodibromomethane (124-48-1)			X										
9V. Chloroethane (75-00-3)			X										
10V. 2-Chloroethylvinyl Ether (110-75-8)			X										
11V. Chloroform (67-66-3)			X										
12V. Dichlorobromomethane (75-27-4)			X										
13V. Dichlorodifluoromethane (75-71-8)			X										
14V. 1,1-Dichloroethane (75-34-3)			X										
15V. 1,2-Dichloroethane (107-08-2)			X										
16V. 1,1-Dichloroethylene (75-35-4)			X										
17V. 1,2-Dichloropropane (78-87-5)			X										
18V. 1,3-Dichloropropylene (542-75-6)			X										
19V. Ethylbenzene (100-41-4)			X										
20V. Methyl Bromide (74-83-9)			X										
21V. Methyl Chloride (74-87-3)			X										

EPA Form 3510-2C (8-90)

PAGE V-4

CONTINUE ON PAGE V-5

CONTINUED FROM PAGE V-4

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)		b. NO. OF ANALYSES
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	
					(1)	(2) MASS CONCENTRATION	(1)	(2) MASS CONCENTRATION				
GCMS FRACTION -- VOLATILE COMPOUNDS (continued)												
22V. Methylene Chloride (75-09-2)			X									
23V. 1,1,2,2-Tetrachloroethane (79-34-5)			X									
24V. Tetrachloroethylene (127-18-4)			X									
25V. Toluene (108-88-3)			X									
26V. 1,2-Trans-Dichloroethylene (156-60-5)			X									
27V. 1,1,1-Trichloroethane (71-35-8)			X									
28V. 1,1,2-Trichloroethane (78-00-5)			X									
29V. Trichloroethylene (79-01-6)			X									
30V. Trichlorofluoromethane (75-69-4)			X									
31V. Vinyl Chloride (75-01-4)			X									
GCMS FRACTION -- ACID COMPOUNDS												
1A. 2-Chlorophenol (95-57-6)			X									
2A. 2,4-Dichlorophenol (120-83-2)			X									
3A. 2,4-Dimethylphenol (105-67-9)			X									
4A. 4,6-Dinitro-O-Cresol (534-52-1)			X									
5A. 2,4-Dinitrophenol (51-28-5)			X									
6A. 2-Nitrophenol (88-76-5)			X									
7A. 4-Nitrophenol (100-02-7)			X									
8A. p-Chloro-M-Cresol (59-50-7)			X									
9A. Pentachlorophenol (87-86-5)			X									
10A. Phenol (108-95-2)			X									
11A. 2,4,6-Trichlorophenol (68-05-2)			X									

EPA Form 3510-2C (8-90)

PAGE V-5

CONTINUE ON REVERSE

CONTINUED FROM THE FRONT				2. MARK 'X'		3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
1. POLLUTANT AND CAS NUMBER (if available)	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION	(2) MASS	
COMBUSTION - BASE/NEUTRAL COMPOUNDS															
1B. Acenaphthene (83-32-9)			X												
2B. Acenaphthylene (208-98-8)			X												
3B. Anthracene (120-12-7)			X												
4B. Benzidine (92-87-5)			X												
5B. Benzo (a) Anthracene (96-55-3)			X												
6B. Benzo (a) Pyrene (50-32-8)			X												
7B. 3,4-Benzo-fluoranthene (205-99-2)			X												
8B. Benzo (ghi) Perylene (191-24-2)			X												
9B. Benzo (k) Fluoranthene (207-09-9)			X												
10B. Bis (2-Chloro-ethoxy) Methane (111-91-1)			X												
11B. Bis (2-Chloro-ethyl) Ether (111-44-4)			X												
12B. Bis (2-Chloroisopropyl) Ether (102-50-1)			X												
13B. Bis (2-Ethylhexyl) Phthalate (117-81-7)			X												
14B. 4-Bromophenyl Phenyl Ether (101-85-3)			X												
15B. Butyl Benzyl Phthalate (85-98-7)			X												
16B. 2-Chloronaphthalene (91-58-7)			X												
17B. 4-Chlorophenyl Phenyl Ether (7005-72-3)			X												
18B. Chrysene (218-01-9)			X												
19B. Dibenzo (a,h) Anthracene (53-70-3)			X												
20B. 1,2-Dichlorobenzene (95-50-1)			X												
21B. 1,3-Dichlorobenzene (541-73-1)			X												

CONTINUED FROM PAGE V-6

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK 'X'			3. EFFLUENT				4. UNITS		5. INTAKE (optional)	
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1) CONCENTRATION	b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVG. VALUE (if available)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	b. NO. OF ANALYSES
					(1) CONCENTRATION	(2) MASS					
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (continued)											
22B. 1,4-Dichlorobenzene (108-48-7)			X								
23B. 3,3-Dichlorobenzidine (91-84-1)			X								
24B. Diethyl Phthalate (84-66-2)			X								
25B. Dimethyl Phthalate (131-11-3)			X								
26B. Di-N-Butyl Phthalate (84-74-2)			X								
27B. 2,4-Dinitrotoluene (121-14-2)			X								
28B. 2,6-Dinitrotoluene (908-20-2)			X								
29B. Di-N-Octyl Phthalate (117-34-0)			X								
30B. 1,2-Diphenylhydrazine (as Azobenzene) (122-98-7)			X								
31B. Fluoranthene (208-44-0)			X								
32B. Fluorene (98-73-7)			X								
33B. Hexachlorobenzene (118-74-1)			X								
34B. Hexachlorobutadiene (87-68-3)			X								
35B. Hexachlorocyclopentadiene (77-47-4)			X								
36B. Hexachloroethane (67-72-1)			X								
37B. Indeno (1,2,3-cd) Pyrene (183-33-5)			X								
38B. Isophorone (78-59-1)			X								
39B. Naphthalene (91-20-3)			X								
40B. Nitrobenzene (98-95-3)			X								
41B. N-Nitrosodimethylamine (92-75-9)			X								
42B. N-Nitrosodi-N-Propylamine (621-64-7)			X								

EPA Form 3510-2C (8-90)


PAGE V-7


CONTINUE ON REVERSE

CONTINUED FROM THE FRONT			2. MARK "X"		3. EFFLUENT				4. UNITS		5. INTAKE (optional)		
1. POLLUTANT AND CAS NUMBER (if available)	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)		b. MAXIMUM 30 DAY VALUE (if available) (1)		c. LONG TERM AVG. VALUE (if available) (1)		d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	
				CONCENTRATION	(2) MASS	CONCENTRATION	(2) MASS	CONCENTRATION	(2) MASS			CONCENTRATION	(2) MASS
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (continued)													
43B. N-Nitrosodiphenylamine (86-30-8)			X										
44B. Phenanthrene (85-01-8)			X										
45B. Pyrene (129-00-0)			X										
48B. 1,2,4-Trichlorobenzene (120-92-1)			X										
GC/MS FRACTION - PESTICIDES													
1P. Aldrin (309-00-2)			X										
2P. α-BHC (319-84-6)			X										
3P. β-BHC (319-85-7)			X										
4P. γ-BHC (58-89-9)			X										
5P. δ-BHC (319-88-8)			X										
6P. Chlordane (57-74-9)			X										
7P. 4,4'-DDT (50-29-3)			X										
8P. 4,4'-DDE (72-55-9)			X										
9P. 4,4'-DDD (72-54-8)			X										
10P. Dieldrin (90-57-1)			X										
11P. α-Endosulfan (115-28-7)			X										
12P. β-Endosulfan (115-28-7)			X										
13P. Endosulfan Sulfate (1031-97-8)			X										
14P. Endrin (72-20-8)			X										
15P. Endrin Aldehyde (7421-93-4)			X										
16P. Heptachlor (76-44-8)			X										

CONTINUED FROM PAGE V-8										EPA I.D. NUMBER (copy from Item 1 of Form 1)		OUTFALL NUMBER	
										011-00102		002	
1. POLLUTANT AND CAS NUMBER (if available)	2. MARK 'X'			3. EFFLUENT			4. UNITS		5. INTAKE (optional)				
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE (1)	b. MAXIMUM 30 DAY VALUE (if available) (1)	c. LONG TERM AVRG. VALUE (if available) (1)	d. NO. OF ANALYSES	a. CONCENTRATION	b. MASS	a. LONG TERM AVERAGE VALUE (1)	b. NO. OF ANALYSES		
GC/MS FRACTION - PESTICIDES (continued)													
17P. Heptachlor Epoxide (1024-57-3)			X										
18P. PCB-1242 (59469-21-0)			X										
19P. PCB-1254 (11097-69-1)			X										
20P. PCB-1221 (11104-28-2)			X										
21P. PCB-1232 (11141-16-5)			X										
22P. PCB-1248 (12672-29-6)			X										
23P. PCB-1260 (11098-82-6)			X										
24P. PCB-1016 (12674-11-2)			X										
25P. Toxaphene (8001-35-2)			X										

Line Drawing
Outfall 002







DIVISION OF SURFACE WATER

Antidegradation Addendum

In accordance with Ohio Administrative Code 3745-1-05 (Antidegradation), additional information may be required to complete your application for a permit to install or NPDES permit. For any application that may result in an increase in the level of pollutants being discharged (NPDES and/or PTI) or for which there might be activity taking place within a stream bed, the processing of the permit(s) may be required to go through procedures as outlined in the antidegradation rule. The rule outlines procedures for public notification and participation as well as procedures pertaining to the levels of review necessary. The levels of review necessary depend on the degradation being considered/requested. The rule also outlines exclusions from portions of the application and review requirements and waivers that the Director may grant as specified in Section 3745-1-05(D) of the rule. Please complete the following questions. The answers provided will allow the Ohio EPA to determine if additional information is needed. All projects that require both an NPDES and PTI should submit both applications simultaneously to avoid going through the antidegradation process separately for each permit.

A. Applicant: Holmes Limestone Company

Facility Owner: Holmes Limestone Company

Facility Location (city and county): Strasburg / Tuscarawas

Application or Plans Prepared By: Ralph King

Project Name: _____

NPDES Permit Number (if applicable): 61L00102*CD

B. Antidegradation Applicability

Is the application for? (check as many as apply):

- ☐ Application with no direct surface water discharge (Projects that do not meet the applicability section of 3745-1-05(B)1, i.e., on-site disposal, extensions of sanitary sewers, spray irrigation, indirect discharger to POTW, etc.). (Complete Section E)
- ☒ Renewal NPDES application or PTI application with no requested increase in loading of currently permitted pollutants. (Complete Section E, Do not complete Sections C or D).
- ☐ PTI and NPDES application for a new wastewater treatment works that will discharge to a surface water. (Complete Sections C and E)
- ☐ An expansion/modification of an existing wastewater treatment works discharging to a surface water that will result in any of the following (PTI and NPDES): (Complete Sections C and E)
- addition of any pollutant not currently in the discharge, or
 - an increase in mass or concentration of any pollutant currently in the discharge, or
 - an increase in any current pollutant limitation in terms of mass or concentration.

____ PTI that involves placement of fill or installation of any portion of a sewerage system (i.e., sanitary sewers, pump stations, WWTP, etc.) within 150 feet of a stream bed. Please provide information requested on the stream evaluation addendum (i.e., number of stream crossings, fill placement, etc.) and complete Section E.

____ Initial NPDES permit for an existing treatment works with a wastewater discharge prior to October 1, 1996. (Complete Sections D and E)

____ Renewal NPDES permit or modification to an effective NPDES permit that will result in any of the following: (Complete Sections C and E)

- ▶ a new permit limitation for a pollutant that previously had no limitation, or
- ▶ an increase in any mass or concentration limitation of any pollutant that currently has a limitation.

C. Antidegradation Information

1. Does the PTI and/or NPDES permit application meet an exclusion as outlined by OAC 3745-1-05(D) (1) of the Antidegradation rule?

____ Yes (Complete Question C.2)

____ No (Complete Questions C.3 and C.4)

2. For projects that would be eligible for exclusions provide the following information:

- a. Provide justification for the exclusion.
- b. Identify the substances to be discharged, including the amount of regulated pollutants to be discharged in terms of mass and concentration.
- c. A description of any construction work, fill or other structures to occur or be placed in or near a stream bed.

3. Are you requesting a waiver as outlined by OAC 3745-1-05(D) (2-7) of the Antidegradation rule?

____ No

____ Yes

If you wish to pursue one of the waivers, please identify the waiver and submit the necessary information to support the request. Depending on the waiver requested, the information required under question C.4 may be required to complete the application.

4. For all projects that do not qualify for an exclusion a report must accompany this application evaluating the preferred design alternative, non-degradation alternatives, minimal degradation alternatives, and mitigative techniques/measures for the design and operation of the activity. The information outlined below should be addressed in this report. If a waiver is requested, this section is still required.

- a. Describe the availability, cost effectiveness and technical feasibility of connecting to existing central or regional sewage collection and treatment facilities, including long range plans for

sewer service outlined in state or local water quality management planning documents and applicable facility planning documents.

- b. List and describe all government and/or privately sponsored conservation projects that may have been or will be specifically targeted to improve water quality or enhance recreational opportunities on the affected water resource.
- c. Provide a brief description below of all treatment/disposal alternatives evaluated for this application and their respective operational and maintenance needs. (If additional space is needed please attach additional sheets to the end of this addendum).

Preferred design alternative:

Non-degradation alternative(s):

Minimal degradation alternative(s):

Mitigative technique/measure(s):

At a minimum, the following information must be included in the report for each alternative evaluated.

- d. Outline of the treatment/disposal system evaluated, including the costs associated with the equipment, installation, and continued operation and maintenance.
- e. Identify the substances to be discharged, including the amount of regulated pollutants to be discharged in terms of mass and concentration.
- f. Describe the reliability of the treatment/disposal system, including but not limited to the possibility of recurring operation and maintenance difficulties that would lead to increased degradation.
- g. Describe any impacts to human health and the overall quality and value of the water resource.
- h. Describe and provide an estimate of the important social and economic benefits to be realized through this proposed project. Include the number and types of jobs created and tax revenues generated.
- i. Describe environmental benefits to be realized through this proposed project.
- j. Describe and provide an estimate of the social and economic benefits that may be lost as a result of this project. Include the impacts on commercial and recreational use of the water resource.

- k. Describe the environmental benefits lost as a result of this project. Include the impact on the aquatic life, wildlife, threatened or endangered species.
- l. A description of any construction work, fill or other structures to occur or be placed in or near a stream bed.
- m. Provide any other information that may be useful in evaluating this application.

D. Discharge Information

1. For treatment/disposal systems constructed pursuant to a previously issued Ohio EPA PTI, provide the following information:

PTI Number _____
 PTI Issuance Date _____
 Initial Date of Discharge _____

2. Has the appropriate NPDES permit application form been submitted including representative effluent data?

☒ Yes (go to E)

☐ No (see below)

If no, submit the information as applicable under a OR b as follows:

- a. For entities discharging process wastewater attach a completed 2C form.
- b. For entities discharging wastewater of domestic origin attach the results of at least one chemical analysis of the wastestream for all pollutants for which authorization to discharge is being requested and a measurement of the daily volume (gallons per day) of wastewaters being discharged.

- E. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete.

This section must be signed by the same responsible person who signed the accompanying permit application or certification as per 40 CFR 122.22.

Signature Mark Munt

Date 1/17/08